

PB370-2,EXHAUST FAN,DUAL GRILL

Item no. 45433

Document type: **Product card**
 Document date: **2014-05-09**
 Generated by: **Systemair Online Catalogue**

Description

- 370 CFM Premium Bath Fan, two ceiling grilles, two grille housings with dampers and Y-adapter (4x4x6).
- Uses 4" and 6" duct. UL Listed for wet locations.
- Energy Star® qualified.
- UL listed for wet locations

The key to proper ventilation in baths is spot ventilation at the source. Premium Bath fans can effectively ventilate several areas of the bath or two different bathrooms. Small 7" ceiling grilles (with or without lights) can be easily positioned directly over showers, whirlpool tubs, steam showers, toilet or vanity. The fan motor is installed away from the living area for super quiet operation. PB fans are designed for or continuous operation to meet **ASHRAE Standard 62.2**.





Technical parameters

Voltage	120	V
Frequency	60	Hz
Phase	1	~
Power	120	W
Current	1.02	A
Max. airflow	420	cfm
Fan impeller speed	2412	r.p.m.
Max. temperature of transported air	140	°F
Weight	21	lbs.
Insulation class, motor	B	
Enclosure class, motor	44	IP
Certificate	AMCA Air, HVI, cULus, Energy Star, UL listed for wet locations	

Performance


Diagrams



Hydraulic data

	Working point						
	Q [cfm]	Ps [in.wg]	P [W]	n [r.p.m.]	I [A]	SFP [W/l/s]	U [V]
Max efficiency	▲ 167	▲ 1.1	▲ 117	2473	-	1.48	120

Dimensions



Model	A	C	D	E	F
PB 110 / PB 110F(-ES) / PB 110H/ PB110L	4	8 1/2	6 1/2	1	1
PB190 / PB270-2 / PB270F-2(ES)/PB270H-2/ PB270L-2	6	11 3/8	6 1/4	1	7/8
PB270FV-2(ES) / PB270HV-2/ PB270LV-2	6	11 3/8	6 1/4	1	7/8
PB370H-2	6	11 3/8	6 1/4	1	7/8

Dimensions in inches

Accessories

Electric accessories

PBB14 (45155)
PBB50 (45156)
VT20A (45385)

VT20M (45386)

Accessories

FC 6,Clamp,2Pcs Kit (411120)
FIDT6,Duct,Flex,Insul,6,Alum (411064)
FY6,Y Adapter 6" (411251)
FY644,Y Adapter 6"-4"-4" (412472)
PBV4,7" Grill, 4" duct (412260)
PBV6,7" Grill w/ 6" duct (412261)
RC6,Roof Cap 6" (411312)
RSK6,Damper (411114)

Documentation



[\(412889 PB Series OIPM EN FR ES.pdf, 2MB\)](#)



[\(412220 Ventilation Solutions - Bathrooms EN.pdf, 7MB\)](#)



[\(412889 PB Series OIPM EN FR ES.pdf, 1MB\)](#)