



PARTS THAT
KEEP YOU COOL



Room Air Conditioner Accessories



VERTICAL ZONELINE® UNITS



VERTICAL ZONELINE® UNITS



RAVWP6 (AZ Series*—75/85)

Wall Plenum

- Wall plenum for installation in walls less than 6" thick
- Wall plenum 19-3/4" x 32"
- Wall cutout dimensions 20" x 32-1/4"
- Warm gray beige color



RAVWP8 (AZ Series*—75/85)

Wall Plenum

- Wall plenum for installation in walls less than 8" thick
- Wall plenum 19-3/4" x 32"
- Wall cutout dimensions 20" x 32-1/4"
- Warm gray beige color



RAVWP12 (AZ Series*—75/85)

Wall Plenum

- Wall plenum for installation in walls less than 12" thick
- Wall plenum 19-3/4" x 32"
- Wall cutout dimensions 20" x 32-1/4"
- Warm gray beige color



RAVWP15 (AZ Series*—75/85)

Wall Plenum

- Wall plenum for installation in walls less than 15" thick
- Wall plenum 19-3/4" x 32"
- Wall cutout dimensions 20" x 32-1/4"
- Warm gray-beige color

VERTICAL ZONELINE® UNITS



RAVAL1 (AZ Series*—75/85)

Aluminum Outdoor Grille

- Extruded aluminum outdoor grille for installation on RAVWP series wall plenums
- Grille is 19-3/4" x 32" x 1-1/4"
- Mill finish



RAVRG1 (AZ Series*—75/85)

Access Panel with Return Air Grille

- Access panel with return air grille for installation in closet wall
- Allows access/removal of Vertical Zoneline for cleaning or service
- Outside dimensions 30" x 50"
- Wall cutout dimensions 28" x 48"
- Accepts 20" x 20" x 1" field-supplied filter
- Warm gray-beige color



RAVRG2 (AZ Series*—75/85)

Return Air Grille

- Return air grille for installation in closet wall
- Exterior dimensions 22-1/2" x 22-1/2"
- Wall cutout dimension 20-3/8" x 20-3/8"
- Accepts 20" x 20" x 1" field-supplied filter
- Warm gray-beige color




RAVRMS (AZ Series*—75/85)

Wall-Mounted Room Air Sensor

- Wall-mounted room air sensor provides Temperature Limiting and Freeze Sentinel™ capability
- Includes 3-meter conductor wire for hook-up to Vertical Zoneline
- Required for Motion Sensor/Door Switch applications

*A_B Series: Zoneline units built before 1987 – Zoneline I, II, III, and IV; AZC Series: Zoneline units built from 1987 to 1992 – includes AZR Series – Zoneline 1000, 2000, 2500, 2700, 3000, 4000, 5000; AZ Series: Zoneline units built after 1992 – Zoneline 21, 31, 26, 51 / Zoneline 22, 32, 52 / Zoneline 25, 35, 55 / Zoneline 28, 29, 38, 39, 41, 58, 61, 75, 85.

VERTICAL ZONELINE® UNITS




RAK5157/5207/5307† (AZ Series*—75/85)

265/277-Volt Universal Power Supply Kit

- 9-pin connector with three 7" 12-gauge conductor wires.

Kit No.	Volts	Heater Wattage	Circuit Ampacity
RAK5157	265/277	2.71 kw	15
RAK5207	265/277	3.55 kw	20
RAK5307	265/277	5.03 kw	30



RAK4157/4207/4307† (AZ Series*—75/85)

230/208-Volt Universal Power Supply Kit

- 9-pin connector with three 7" 12-gauge conductor wires.

Kit No.	Volts	Heater Wattage	Circuit Ampacity
RAK4157	230/208	2,610/2,190	15
RAK4207	230/208	3,420/2,870	20
RAK4307	230/208	4,810/4,070	30



RAK3152/3202/3302† (AZ Series*—75/85)

15, 20, and 30 Amp (230/208 Volts) Universal Power Supply

Kit No.	Volts	Heater Wattage	Circuit Ampacity
RAK3152	230/208	2,610/2,190	15 
RAK3202	230/208	3,420/2,870	20 
RAK3302	230/208	4,810/4,070	30 

*A_B Series: Zoneline units built before 1987 – Zoneline I, II, III, and IV; AZC Series: Zoneline units built from 1987 to 1992 – includes AZR Series – Zoneline 1000, 2000, 2500, 2700, 3000, 4000, 5000; AZ Series: Zoneline units built after 1992 – Zoneline 21, 31, 26, 51 / Zoneline 22, 32, 52 / Zoneline 25, 35, 55 / Zoneline 28, 29, 38, 39, 41, 58, 61, 75, 85.

†The power connection kit determines the heater wattage and current requirements when it is plugged into the Zoneline unit. NOTE: 7,000 BTU models do not have 5,000-watt heaters.

ZONELINE® UNITS



ZONELINE® UNITS



RAB71A (All Zonline Series)

Standard Wall Case

The RAB71A is a galvanized steel wall sleeve with expanded polystyrene foam insulation. It is mechanically fastened and protected with baked-on enamel and protected with a sealing compound to prevent rust. The RAB71A wall case accepts all Zonline chassis models.

Also available with extended depths:

- RAB7116—16" deep
- RAB7124—24" deep
- RAB7128—28" deep
- RAB7131—31" deep



RAB77A4 (All Zonline Series)

SMC Wall Case

The Zonline SMC universally designed wall case by GE utilizes a fiberglass-reinforced polyester compound to produce a durable, non-corrosive wall case for all Zonline Packaged Terminal Air Conditioners and Heat Pumps. The RAB77A4 SMC wall case accepts all Zonline chassis models.



RAD10 (All Zonline Series)

Internal/External Drain Kit

For more positive control of condensate water, the RAD10 drain kit routes condensate to the exterior or to the interior of the building through the wall case. Suitable provision (field applied) should be made to connect the RAD10 drain tube to a drain system in the building. Drain tube assemblies are 1/2" OD copper and consist of a short right-angle tube and a 6"-long straight tube to suit the particular application.



RAF452 (while quantities last) (AZ Series*—22, 32 and 52 only)

Replacement Standard Room Cabinet

Room cabinet with wraparound design has attractive textured finish which matches unit sleeve. Cabinet is injection-molded of high-impact polystyrene. Cabinet fastens to chassis without tools or hardware. The room cabinet contains the slide-out filters and 2-position reversible discharge louvers.



RAF452A (while quantities last) (AZ Series*—25, 35 and 55 only)

Replacement Standard Room Cabinet

Room cabinet with wraparound design has attractive textured finish which matches unit sleeve. Cabinet is injection-molded of high-impact polystyrene. Cabinet fastens to chassis without tools or hardware. The room cabinet contains the slide-out filters and 2-position reversible discharge louvers.


ZONELINE® UNITS



RAF453A (AZ Series*—28, 29, 38, 39, 41, 58 and 61 only)

Replacement Standard Room Cabinet

Room cabinet with wraparound design has attractive textured finish which matches unit sleeve. Cabinet is injection-molded of high-impact polystyrene. Cabinet fastens to chassis without tools or hardware. The room cabinet contains the slide-out filters and 2-position reversible discharge louvers.



RAG60 (AZ Series*)

Stamped Aluminum Exterior Rear Grille

The standard exterior grille is made of durable aluminum to protect chassis components and minimize air recirculation.



RAG61/62/63

RAG61/62/63 (AZ Series*)

Architectural Rear Grille


Optional, one-piece molded grille and frame assembly for improved appearance and protection. Grilles are molded of GE Cycloy® and have a slightly textured, colorfast surface to blend with most walls. RAG61 – Beige, RAG62 – Maple, RAG63 – Dark Brown



RAG67 (AZ Series*)

Aluminum Architectural Outdoor Grille

- Extruded aluminum outdoor grille for use with RAB71A, RAB77A4, and extended wall cases
- Grilles are paintable to match building décor




RAK40 (AZ Series*)

Air Deflector Kit

Kit adapts AZ chassis for use with older GE architectural grilles. The aluminum deflectors are installed to the condenser end sheet flanges to prevent condenser airflow recirculation. The kit also allows some custom (non-standard) rear grilles to be used, provided they have sufficient open area.




ZONELINE® UNITS



RAKOIM (AZ Series*—22, 32 and 52 only)

Optional Interface Module for Central Desk Control or Remote Thermostat Control

The RAKOIM is required if a unit is to be installed with a Central Desk Control or a Remote Thermostat Control. Includes screw, and a short wire harness on the RAKOIM that is plugged into the mating receptacle on the front of the control box.




RAK605 (while quantities last) (AZ Series*—21 and 31 only)

Duct Adapter

(Not for 26 and 51 Series)

The RAK605 duct adapter is attached to the top of the wall case to allow the air from the Zoneline unit to heat or cool an adjacent room. Duct extension RAK601 can be applied to right or left of the adapter. (Zoneline 26 and 51 Series not approved for ducted application).



RAK6052 (AZ Series*—22, 25, 28, 29, 32, 35, 38, 39, 41 and 61 only)

Duct Adapter

(Not for 52, 55 or 58 Series)

The RAK6052 duct adapter is attached to the top of the wall case to allow the air from the Zoneline unit to heat or cool an adjacent room. Duct extension RAK601 can be applied to right or left of the adapter. (Zoneline 52, 55 and 58 Series not approved for ducted application).




RAK601/602 (AZC and AZ Series*—21, 22, 25, 28, 29, 31, 32, 35, 38, 39, 41 and 61 only)

Duct Extension, Register and Trim Flange

RAK601 is a 44"-long duct and includes an air register and trim flange for the secondary space. If two extensions are made from one RAK601 duct, an additional air register and trim flange can be ordered separately as an RAK602, reducing the cost of the installation. For use with RAK605 and RAK6052.

ZONELINE® UNITS



RAK7012

(AZ Series*—22, 25, 32, 35, 28, 29, 38, 39, 41 and 61)

Duct Adapter for Replacement of A_B with Rounded-Front AZ Chassis

The RAK7012 duct adapter is designed to line up with the duct extension where the original chassis was a flat-top discharge A-B Series. Using the RAK7012 will allow the existing duct extension to be used without requiring the relocation of the hole through the wall to the adjacent room. Discharge grille, end plate and extension mounting hardware must be removed from old duct adapter and installed on the RAK7012.



RAK7022

(AZ Series*—22, 25, 28, 29, 32, 35, 38, 39, 41 and 61 only)

Duct Transition for Replacement of AZC with Rounded-Front AZ Chassis

The RAK7022 duct transition is designed to allow duct installation where the original chassis was a slope-front discharge (AZC/AZR/AZ21/AZ31) chassis. Using the RAK7022 will allow the existing duct adapter and extension to be used without requiring the relocation of the hole through the wall to the adjacent room.



RAK201

(AZC and AZ Series*)

Access Plate Cover

The RAK201 access plate cover is made of heavy-gauge steel with multiple knockouts for special applications. Will adapt to service conduit .875" or 1.125"; circuit breaker up to 30 amp or 30 amp receptacle. The RAK201 fits old sub-bases RAK120, RAK121 and RAK122 for easy replacement of A-B series with AZC and AZ series.

ZONELINE® UNITS



Power cord and junction box not included with sub-base.

RAK204 (AZ Series*)

Standard Sub-Bases WITHOUT power cord included

The RAK204 sub-base is made of heavy-gauge steel to provide support of the wall case. It has full base enclosure with breakaway side channels, simple connection to wall case and 4-point leveling legs. The sub-base will adapt to service conduit, circuit breakers and receptacles up to 30 amps. It may also be used as a non-electrical sub-base to provide support for the unit.

Kit No.	Sub-Base	Circuit Ampacity	Chaseway	Power Cord
RAK204U**	Standard	N/A	Not Included	Not Included
RAK204E15	Sub-Base 265/277V	15	Included	Not Included
RAK204E20	Sub-Base 265/277V	20	Included	Not Included
RAK204E30	Sub-Base 265/277V	30	Included	Not Included



RAK204 (AZ Series*)

Standard Sub-Bases WITH power cord included

The RAK204 sub-base is made of heavy-gauge steel to provide support of the wall case. It has full base enclosure with breakaway side channels, simple connection to wall case and 4-point leveling legs. The sub-base will adapt to service conduit, circuit breakers and receptacles up to 30 amps. It may also be used as a non-electrical sub-base to provide support for the unit.

Kit No.	Sub-Base	Circuit Ampacity	Chaseway	Power Cord
RAK204D15P	Sub-Base 230/208V	15	Included	Included
RAK204D20P	Sub-Base 230/208V	20	Included	Included
RAK204D30P	Sub-Base 230/208V	30	Included	Included



RAK205CW (AZ Series*)


Chaseway

Chaseway for wiring containment between junction box on chassis and RAK204U sub-base.

*A_B Series: Zoneline units built before 1987 – Zoneline I, II, III, and IV; AZC Series: Zoneline units built from 1987 to 1992 – includes AZR Series – Zoneline 1000, 2000, 2500, 2700, 3000, 4000, 5000; AZ Series: Zoneline units built after 1992 – Zoneline 21, 31, 26, 51 / Zoneline 22, 32, 52 / Zoneline 25, 35, 55 / Zoneline 28, 29, 38, 39, 41, 58, 61, 75, 85.

**RAK204U May be used with AZC and AZ 21, 31, 26 and 51.

ZONELINE® UNITS




RAK4157/4207/4307† (AZ Series*—28, 29, 38, 39, 41, 55, 58 and 61 only)

230/208-Volt Universal Power Supply Kit

- 9-pin connector with three 7" 12-gauge conductor wires.

Kit No.	Volts	Heater Wattage	Circuit Ampacity
RAK4157	230/208	2.4/2.32 kw	15
RAK4207	230/208	3.3/3.2 kw	20
RAK4307	230/208	4.7/4.53 kw	30



RAK5157/5207/5307† (AZ Series*—28, 29, 38, 39, 41, 55, 58, 61)

265/277-Volt Universal Power Supply Kit

- 9-pin connector with three 7" 12-gauge conductor wires

Kit No.	Volts	Heater Wattage	Circuit Ampacity
RAK5157	265/277	2.4 kw	15
RAK5207	265/277	3.4 kw	20
RAK5307	265/277	4.8 kw	30



RAK3153A/3203A/3303A (AZ Series*—28, 29, 38, 39, 41, 55, 58 and 61 only)

15 and 20 Amp (230/208 Volts) Universal Power Supply with LCDI

Kit No.	Volts	Heater Wattage	Circuit Ampacity
RAK3153A	230/208	2.4/2.32 kw	15 
RAK3203A	230/208	3.3/3.2 kw	20 
RAK3303A	230/208	4.7/4.53 kw	30 



RAK5172/5202/5302† (AZ Series*—28, 29, 38, 39, 41, 55, 58 and 61 only)

15, 20, and 30 Amp (265/277 Volts) Universal Power Supply


- Branch circuit plug to be used only in connection to appropriate sub-base

Kit No.	Volts	Heater Wattage	Circuit Ampacity
RAK5172	265/277	2.4 kw	15 
RAK5202	265/277	3.4 kw	20 
RAK5302	265/277	4.8 kw	30 

*A_B Series: Zoneline units built before 1987 – Zoneline I, II, III, and IV; AZC Series: Zoneline units built from 1987 to 1992 – includes AZR Series – Zoneline 1000, 2000, 2500, 2700, 3000, 4000, 5000; AZ Series: Zoneline units built after 1992 – Zoneline 21, 31, 26, 51 / Zoneline 22, 32, 52 / Zoneline 25, 35, 55 / Zoneline 28, 29, 38, 39, 41, 58, 61, 75, 85.

†The power connection kit determines the heater wattage and current requirements when it is plugged into the Zoneline unit. NOTE: 7,000 BTU models do not have 5,000-watt heaters.

ZONELINE® UNITS




RAK4002 (while quantities last) (AZ Series*—22, 32 and 52 only)

Direct-Connect Junction Box (230/208 and 265/277 Volts)

RAK4002 junction box kit for permanent connection of 230/208- and 265/277-volt units to building power supply.

Includes multi-circuit connector harness for use on value line units. Junction box is included on 265/277-volt units.



RAK4002A (AZ Series*—25, 28, 29, 35, 38, 39, 41 and 61 only)

Direct-Connect Junction Box (230/208 and 265/277 Volts)

RAK4002 junction box kit for permanent connection of 230/208- and 265/277-volt units to building power supply.

Includes multi-circuit connector harness for use on value line units. Junction box is included on 265/277-volt units.



RAK4002B (AZ Series*—55 and 58 only)

Direct-Connect Junction Box(230/208 and 265/277 Volts)

RAK4002 junction box kit for permanent connection of 230/208- and 265/277-volt units to building power supply.

Includes multi-circuit connector harness for use on value line units. Junction box is included on 265/277-volt units.



RAK4002CW (AZ Series*)

Direct-Connect Junction Box Wiring (230/208 and 265/277 Volts)

In-line 3-pin connector and wiring harness. Allows easy disconnect of direct-connected applications.



RAK8022 (while quantities last) (AZ Series*—22, 25, 32, 35, 52 and 55 only)

Locking Door Kit

The RAK8022 provides door lock kit and key to prevent access to Zoneline unit controls. Also provides two thumb screws for securing the room cabinet to the chassis on the lower right and left sides.



RAK8023 (AZ Series*—28, 29, 38, 39, 41, 58 and 61 only)

Locking Door Kit

The RAK8023 provides door lock kit and key to prevent access to Zoneline unit controls. Also provides two thumb screws for securing the room cabinet to the chassis on the lower right and left sides.

*A_B Series: Zoneline units built before 1987 – Zoneline I, II, III, and IV; AZC Series: Zoneline units built from 1987 to 1992 – includes AZR Series – Zoneline 1000, 2000, 2500, 2700, 3000, 4000, 5000; AZ Series: Zoneline units built after 1992 – Zoneline 21, 31, 26, 51 / Zoneline 22, 32, 52 / Zoneline 25, 35, 55 / Zoneline 28, 29, 38, 39, 41, 58, 61, 75, 85.

†The power connection kit determines the heater wattage and current requirements when it is plugged into the Zoneline unit. NOTE: 7,000 BTU models do not have 5,000-watt heaters.

ZONELINE® UNITS

THIS UNIT IS
CONTROLLED BY
WALL THERMOSTAT

RAK806

Universal Cover Label (10 covers per kit)

The RAK806 provides a cover for the control area to refer room occupant to use a remote thermostat. Double-sided tape provided.



RAA62

(AZ Series*—22, 32 and 52 only)

Replacement Filters for AZ Models

(20 pairs per box)

The up-front filters on the GE Zoneline unit are conveniently accessed by simply pulling them up from the top of the room cabinet. By simplifying the task, filter cleaning is more likely to occur on schedule and the unit will operate as efficiently as possible. Sold in pairs.



RAA62A

(AZ Series*—25, 35 and 55 only)

Replacement Filters

- Replacement filters, in pairs
- 20 pairs per box



RAA63

(AZ Series*—28, 29, 38, 39, 41, 58 and 61 only)

Replacement Filters

- Replacement filters, in pairs
- 10 pairs per box



RAK901L

(AZ Series*)

Wall Case Insulation Kit

Five pieces of 13" x 14" x 1/4" adhesive-backed polyethylene to insulate the inside of the RAB71A or RAB77A4 wall case. The RAK901L minimizes the formation of moisture on exterior of wall case.

*A_B Series: Zoneline units built before 1987 – Zoneline I, II, III, and IV; AZC Series: Zoneline units built from 1987 to 1992 – includes AZR Series – Zoneline 1000, 2000, 2500, 2700, 3000, 4000, 5000; AZ Series: Zoneline units built after 1992 – Zoneline 21, 31, 26, 51 / Zoneline 22, 32, 52 / Zoneline 25, 35, 55 / Zoneline 28, 29, 38, 39, 41, 58, 61, 75, 85.

BUILT-IN UNITS



BUILT-IN UNITS



RAD4A1

Drain Kit

Internal/External Drain Kit

Drain kit for use on "J" series wall cases. For more positive control of condensate water, the RAD4A1 drain kit routes condensate to the exterior or to the interior of the building through the wall case. Suitable provision (field applied) should be made to connect the drain tube to a drain system in the building. Drain tube assembly is 1/2" O.D. copper.

Note: The RAG14E exterior grille is NOT compatible with the RAD4A1 EXTERNAL drain tube. Use of this grille would require the use of the INTERNAL TUBE configuration to drain the unit.



RAB46A

Standard Wall Case for "J" Chassis Built-in Unit

Solid-sided wall case fabricated of galvanized steel with baked-enamel (beige) finish. Welded areas are coated with a sealing compound to help resist rust and corrosion. Polymer gasket surrounds opening to assure tight weather seal. Aluminum grille (RAG13) is included. Panels on interior and between case and grille provide weather protection prior to installation of chassis.




RAB48B

Tenant Option Wall Cases for "J" Chassis

When the air conditioner is offered as a tenant option, these wall cases provide protection against outside elements.

RAB48B—includes wall case, exterior grille, insulated steel indoor closure panel and outdoor panel.

BUILT-IN UNITS



RAG13A

Stamped Aluminum Exterior Grille "J" Series

Used to replace exterior grille on old "J" wall case to maximize efficiency and capacity of new chassis. The grille is included with new wall cases RAB46A, 47A, 48A and 48B.



RAG14E

Architectural Louvered Exterior Grille for "J" Series

Extruded aluminum grille for application with RAB46A, 47A, 48A and 48B.

NOTE: The RAG14E exterior grille is NOT compatible with the RAD4A1 EXTERNAL drain tube. Use of this grille would require the use of the INTERNAL TUBE configuration to drain the unit.



RAF622 (while quantities last)

Replacement Room Front for Rounded-Front "J" Chassis (1997-2000)

Used as replacement grille for rounded-front "J" chassis units. (Not for use with high-mount units.)



RAF622A

Replacement Room Front for Rounded-Front "J" Chassis for A, B and C Series and D Series ending in "1" or "2" (2001-2011)

Replacement room front for "J" series chassis with oval control pushbutton opening. (Not for use on high-mount models.)



RAF822

Replacement Room Front for "D" Series ending in "5" and "E" Series Rounded-Front "J" Series (2011-present)

Replacement room front for "J" series chassis with oval control pushbutton opening. (Not for use on high-mount models.)




RAK690

Architectural Louver Grille Adapter for "J" Chassis Units

Permits most existing architectural louvered grilles to be used with "J" chassis units. Kit consists of two wire mesh screen sections, clips to attach screen to existing wall case and two aluminum air deflectors to be mounted to new chassis.

BUILT-IN UNITS



RAA72

Replacement Filter for Rounded-Front "J" Chassis (1997–2000)

- Replacement filter for use in room fronts with 2 round control openings ONLY
- Washable/reusable nylon mesh filter
- Order individually or by box of 20
- Used for standard or high-mount models



RAA72A

Replacement Filter for Rounded-Front "J" Chassis for A, B and C Series and D Series ending in "1" or "2" (2001–2011)

- Replacement filter for use in room fronts with oval control pushbutton openings ONLY
- Washable/reusable nylon mesh filter
- Order individually or by box of 20
- Used for standard or high-mount models



RAA83

Replacement Filter For "D" Series ending in "5" and "E" Series Rounded-Front "J" Chassis—Standard-Mount (2011–present)

- Replacement filter for standard-mount only
- Washable/reusable nylon mesh filter
- Order individually



RAA84

Replacement Filter For "D" Series ending in "5" and "E" Series Rounded-Front "J" Chassis—High-Mount (2011–present)

- Replacement filter for high-mount only
- Washable/reusable nylon mesh filter
- Order individually

THERMOSTATS – HEAT PUMP



RAK148D1 (A-B, AZ, 35, 38, 39, 55, 58, 61, 75, 85 and AZR Series*)

Heat Pump Digital Remote Thermostat

- 24V AC digital remote wall thermostat with single-stage cooling and 2-stage heating for heat pump models
- Requires 6-wire hookup



RAK148P1 (A-B, AZ, 35, 38, 39, 55, 58, 61, 75, 85 and AZR Series*)

Heat Pump Programmable Remote Thermostat

- 24V AC programmable remote wall thermostat with single-stage cooling and 2-stage heating for heat pump models
- Programmable for 7-day or 5+2-day programs
- Requires 6-wire hookup

THERMOSTATS – ELECTRIC RESISTANCE HEAT



RAK164D1

(A-B, AZ, 25, 28, 29, 41, 75, 85 and AZR Series*)

Cooling with Electric Heat Digital Remote Thermostat

- 24V AC digital remote wall thermostat with single-stage cooling and single-stage heating for resistance heat models
- Requires 5-wire hookup



RAK164P1

(A-B, AZ, 25, 28, 29, 41, 75, 85 and AZR Series*)

Cooling with Electric Heat Programmable Remote Thermostat

- 24V AC programmable remote wall thermostat with single-stage cooling and single-stage heating for resistance heat models
- Programmable for 7-day or 5+2-day programs
- Requires 5-wire hookup

*A_B Series: Zoneline units built before 1987 – Zoneline I, II, III, and IV; AZC Series: Zoneline units built from 1987 to 1992 – includes AZR Series – Zoneline 1000, 2000, 2500, 2700, 3000, 4000, 5000; AZ Series: Zoneline units built after 1992 – Zoneline 21, 31, 26, 51 / Zoneline 22, 32, 52 / Zoneline 25, 35, 55 / Zoneline 28, 29, 38, 39, 41, 58, 61, 75, 85.

ORDER INFORMATION

Vertical Zoneline® units

Number	Description	Model Type*	Page No.
RAK3152	208/230V Universal power supply kit (15 Amp)	AZ	5
RAK3202	208/230V Universal power supply kit (20 Amp)	AZ	5
RAK3302	208/230V Universal power supply kit (30 Amp)	AZ	5
RAK4157	208/230V Universal power supply kit (15 Amp)	AZ	5
RAK4207	208/230V Universal power supply kit (20 Amp)	AZ	5
RAK4307	208/230V Universal power supply kit (30 Amp)	AZ	5
RAK5157	265/277V Universal power supply kit (15 Amp)	AZ	5
RAK5207	265/277V Universal power supply kit (20 Amp)	AZ	5
RAK5307	265/277V Universal power supply kit (30 Amp)	AZ	5
RAVAL1	Aluminum outdoor grille	AZ	4
RAVRG1	Access panel with return air grille for closet wall	AZ	4
RAVRG2	Return air grille for common closet wall	AZ	4
RAVRMS	Wall-mounted room air sensor	AZ	4
RAVWP6	Wall plenum for up to 6" walls	AZ	3
RAVWP8	Wall plenum for up to 8" walls	AZ	3
RAVWP12	Wall plenum for up to 12" walls	AZ	3
RAVWP15	Wall plenum for up to 15" walls	AZ	3

Zoneline units

Number	Description	Model Type*	Page No.
RAA62	Replacement filters for AZ models (20 pairs per box) for 22, 32 & 52 only	AZ	14
RAA62A	Replacement filters (20 pairs per box) for 25, 35 & 55 only	AZ	14
RAA63	Replacement filters (10 pairs per box) for 28, 38, 41, 58 & 61 only	AZ	14
RAB71A	Standard wall case	All Zoneline	7
RAB77A4	SMC wall case	All Zoneline	7
RAD10	Internal/external drain kit	All Zoneline	7
RAF452	Replacement standard room cabinet (2-position louvers) for 22, 32 & 52 only	AZ	7
RAF452A	Replacement standard room cabinet (2-position louvers) for 25, 35 & 55 only	AZ	7
RAF453A	Replacement standard room cabinet (2-position louvers) for 28, 29, 38, 39, 41, 58 & 61 only	AZ	8
RAG60	Stamped aluminum exterior rear grille	AZ	8
RAG61	Architectural rear grille, beige	AZ	8
RAG62	Architectural rear grille, maple	AZ	8
RAG63	Architectural rear grille, dark brown	AZ	8
RAG67	Aluminum architectural outdoor grille	AZ	8
RAKOIM	Optional interface module for central desk control or remote thermostat control for 22, 32 & 52 only	AZ	9
RAK40	Air deflector kit	AZ	8
RAK4002	Direct-connect junction box, 230/208 and 265/277V for 22, 32 & 52 only	AZ	13
RAK4002A	230/208V direct-connect junction box for 25, 35, 28, 29, 38, 39, 41 & 61 only	AZ	13
RAK4002B	230/208V direct-connect junction box for 55, 58 only	AZ	13
RAK4002CW	230/208V and 265/277 direct-connect junction box wiring	AZ	13
RAK201	Access plate cover	AZC, AZ	10
RAK3153A	Universal power supply, 15 Amp for 52, 28, 29, 38, 39, 41, 55, 58 & 61 only	AZ	12
RAK3203A	Universal power supply, 20 Amp for 52, 28, 29, 38, 39, 41, 55, 58 & 61 only	AZ	12
RAK3303A	Universal power supply, 30 Amp for 52, 28, 29, 38, 39, 41, 55, 58 & 61 only	AZ	12
RAK4157	208/230V Universal power supply, 15 Amp for 28, 29, 38, 39, 41, 55, 58, 61, 75 & 85 only	AZ	12
RAK4207	208/230V Universal power supply, 20 Amp for 28, 29, 38, 39, 41, 55, 58, 61, 75 & 85 only	AZ	12
RAK4307	208/230V Universal power supply, 30 Amp for 28, 29, 38, 39, 41, 55, 58, 61, 75 & 85 only	AZ	12
RAK5157	265/275V Universal power supply, 15 Amp for 28, 29, 38, 39, 41, 55, 58, 61, 75 & 85 only	AZ	12
RAK5207	265/275V Universal power supply, 20 Amp for 28, 29, 38, 39, 41, 55, 58, 61, 75 & 85 only	AZ	12
RAK5307	265/275V Universal power supply, 30 Amp for 28, 29, 38, 39, 41, 55, 58, 61, 75 & 85 only	AZ	12
RAK5172	Universal power supply, 15 Amp, 265V for 28, 29, 38, 39, 41, 55, 58 & 61 only	AZ	12
RAK5202	Universal power supply, 20 Amp, 265V for 28, 29, 38, 39, 41, 55, 58 & 61 only	AZ	12
RAK5302	Universal power supply, 30 Amp, 265V for 28, 29, 38, 39, 41, 55, 58 & 61 only	AZ	12

All sales kits are stocked in Appliance Distribution Centers

***A, B Series:** Zoneline units built before 1987 – Zoneline I, II, III, and IV; **AZC Series:** Zoneline units built from 1987 to 1992 – includes AZR Series – Zoneline 1000, 2000, 2500, 2700, 3000, 4000, 5000; **AZ Series:** Zoneline units built after 1992 – Zoneline 21, 31, 26, 51 / Zoneline 22, 32, 52 / Zoneline 25, 35, 55 / Zoneline 28, 29, 38, 39, 41, 58, 61, 75, 85.

ORDER INFORMATION

Zonline units

Number	Description	Model Type*	Page No.
RAK205CW	Chaseway for RAK204U sub-base	AZ	11
RAK204D15P	230/208V, 15 amp standard sub-base with power cord	AZ	11
RAK204D20P	230/208V, 20 amp standard sub-base with power cord	AZ	11
RAK204D30P	230/208V, 30 amp standard sub-base with power cord	AZ	11
RAK204E15	265V, 15 amp standard sub-base	AZ	11
RAK204E20	265V, 20 amp standard sub-base	AZ	11
RAK204E30	265V, 30 amp standard sub-base	AZ	11
RAK204U	Standard sub-base without electrical devices or wiring	AZ	11
RAK601	Duct extension	AZC, AZ	9
RAK602	Air register and trim flange	AZC, AZ	9
RAK605	Duct adapter for 21 & 31 only	AZ	9
RAK6052	Duct adapter for 22, 32, 25, 35, 28, 29, 38, 39, 41 & 61	AZ	9
RAK7012	Duct adapter for replacement of A-B with rounded-front AZ chassis for 22, 32, 25, 35, 28, 29, 38, 39, 41 & 61 only	AZ	10
RAK7022	Duct transition for replacement of AZC with rounded-front AZ chassis for 22, 32, 25, 35, 28, 29, 38, 39, 41 & 61 only	AZ	10
RAK8022	Locking door kit for 22, 25, 32, 35, 52 & 55 only	AZ	13
RAK8023	Locking door kit for 28, 29, 38, 39, 41, 58 & 61 only	AZ	13
RAK806	Universal cover label (10 covers per kit)	AZ	14
RAK901L	Wall case insulation kit	AZ	14

Built-in units

Number	Description	Page No.
RAA72	Replacement filter for rounded-front "J" chassis – 2 round control knob openings	18
RAA72A	Replacement filter for rounded-front "J" chassis – oval control openings	18
RAA83	Replacement filter for "D" and "E" series—standard-mount	18
RAA84	Replacement filter for "D" and "E" series—high-mount	18
RAB46A	Standard wall case for "J" chassis built-in unit	16
RAB48B	Tenant option wall case for "J" chassis with insulated panel	16
RAD4A1	Drain kit	16
RAF622	Replacement room front for rounded-front "J" chassis – 2 round control knob openings	17
RAF622A	Replacement room front for rounded-front "J" chassis – oval control openings	17
RAF822	Replacement room front for "D" Series ending in "5" and "E" Series	17
RAG13A	Stamped aluminum exterior grille for "J" series	17
RAG14E	Architectural louvered exterior grille for "J" series	17
RAK690	Architectural louvered grille adapter for "J" chassis unit	17

ORDER INFORMATION

Thermostats

Number	Description	Page No.
RAK148D1	Heat pump digital remote thermostat	19
RAK148P1	Heat pump programmable remote thermostat	19
RAK164D1	Cooling with electric heat digital remote thermostat	20
RAK164P1	Cooling with electric heat programmable remote thermostat	20

SERVICE AND SUPPORT

For builder resources and support visit: buildwithge.com or call **800.GE.CARES**

For product information and service visit : geappliances.com or call **800.626.2000**

All sales kits are stocked in Appliance Distribution Centers

***A_B Series:** Zoneline units built before 1987 – Zoneline I, II, III, and IV; **AZC Series:** Zoneline units built from 1987 to 1992 – includes AZR Series – Zoneline 1000, 2000, 2500, 2700, 3000, 4000, 5000; **AZ Series:** Zoneline units built after 1992 – Zoneline 21, 31, 26, 51 / Zoneline 22, 32, 52 / Zoneline 25, 35, 55 / Zoneline 28, 29, 38, 39, 41, 58, 61, 75, 85.

Fedders® is a registered trademark of Fedders North America, Inc. Whirlpool® is a registered trademark of Whirlpool U.S.A.

WHY GE?

GE's commitment to appliances has never been stronger. Backed by an investment of more than \$1 billion, that legacy continues. We're streamlining our manufacturing. Conducting more consumer research. Launching new product innovations. Creating more U.S. jobs. Advertising on a national scale. And delivering the support our partners need to succeed well into the future. The opportunity for growth has never been so promising. We're not just imagining. We're doing.



imagination at work

GE
Appliances
Appliance Park
Louisville, KY 40225
geappliances.com